

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

pre-polymerize and dispersion in organic phase

[Advanced Search](#)  
[Preferences](#)The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)**Web**Results 1 - 6 of about 15 for **pre-polymerize and dispersion in organic phase**. (0.41 seconds)**RAFT mediated polymerisation in heterogeneous media (DOI: 10.1039 ...**... favourably to the **organic phase** while having sufficient aqueous **phase** solubility ... To experimentally determine the **dispersion** period required involves ...[www.rsc.org/delivery/\\_ArticleLinking/DisplayHTMLArticleforfree.cfm?](http://www.rsc.org/delivery/_ArticleLinking/DisplayHTMLArticleforfree.cfm?JournalCode=SM&Year=2006&Manus...)[JournalCode=SM&Year=2006&Manus...](#) - [Similar pages](#)**[PDF] RAFT mediated polymerisation in heterogeneous media**

File Format: PDF/Adobe Acrobat

favourably to the **organic phase** while having sufficient. aqueous **phase** solubility that ... **prepolymerize** in a homogeneous system and then gradually ...[www.rsc.org/delivery/\\_ArticleLinking/DisplayArticleForFree.cfm?](http://www.rsc.org/delivery/_ArticleLinking/DisplayArticleForFree.cfm?doi=b513575c&JournalCode=SM)[doi=b513575c&JournalCode=SM](#) - [Similar pages](#)**[DOC] Controlled Interphases in Biopolymer Systems**File Format: Microsoft Word - [View as HTML](#)To minimize undesirable side reactions, PU was allowed to **prepolymerize** to ... unless covalent bonds are introduced between the **inorganic phase** and each of ...[pat2005.pt.bme.hu/data/abstracts/](http://pat2005.pt.bme.hu/data/abstracts/)[WIDMAIER\\_Jean\\_Michel.abs.1591703067.P153ABS.doc](#) - [Similar pages](#)**Photocatalyst-binder compositions - Patent 5616532**When a **dispersion** of the photocatalyst and binder is applied to a surface, ... of the photocatalyst in its oxidation of **organic phase** soluble compounds, ...[www.freepatentsonline.com/5616532.html](http://www.freepatentsonline.com/5616532.html) - 104k - [Cached](#) - [Similar pages](#)**Acrylic-filled thermoformable acrylic sheet - Patent 5415931**Accordingly, it has become common commercially to **prepolymerize** a portion ... Various **organic** and **inorganic** additives or fillers are and have been used in ...[www.freepatentsonline.com/5415931.html](http://www.freepatentsonline.com/5415931.html) - 36k - [Cached](#) - [Similar pages](#)[\[ More results from www.freepatentsonline.com \]](#)**EP484157 Tokyo european software patent - Maleimide resin ...**... resin with a content of 0.2 weight percent or less of an **organic acid**, ... of the phenolic resin is added to the maleimide resin to **prepolymerize**, ...[gauss.ffii.org/PatentView/EP484157](http://gauss.ffii.org/PatentView/EP484157) - 60k - [Cached](#) - [Similar pages](#)*In order to show you the most relevant results, we have omitted some entries very similar to the 6 already displayed.**If you like, you can repeat the search with the omitted results included.*Try your search again on [Google Book Search](#)Free! Speed up the web. [Download the Google Web Accelerator.](#)